



August 20, 2019

Arcelor Mittal USA, Inc.
250 W US Highway 12
Burns Harbor, IN 46304-9745

Work Order No.: 19H1138

Re: Ammonia

Dear Teri Kirk:

Microbac Laboratories, Inc. - Chicagoland Division received 8 sample(s) on 8/19/2019 10:45:00AM for the analyses presented in the following report as Work Order 19H1138.

The enclosed results were obtained from and are applicable to the sample(s) as received at the laboratory. All sample results are reported on an "as received" basis unless otherwise noted.

All data included in this report have been reviewed and meet the applicable project specific and certification specific requirements, unless otherwise noted. A qualifications page is included in this report and lists the programs under which Microbac maintains certification.

This report has been paginated in its entirety and shall not be reproduced except in full, without the written approval of Microbac Laboratories.

We appreciate the opportunity to service your analytical needs. If you have any questions, please contact your project manager. For any feedback, please contact Ron Misiunas, Division Manager, at ron.misiunas@microbac.com.

Sincerely,
Microbac Laboratories, Inc.

A handwritten signature in black ink that reads "Carey Gadzala". The signature is written in a cursive, flowing style.

Carey Gadzala
Project Manager

[Microbac Laboratories, Inc.](http://www.microbac.com)

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com



WORK ORDER SAMPLE SUMMARY

Date: *Tuesday, August 20, 2019*

Client: Arcelor Mittal USA, Inc.
Project: Ammonia
Lab Order: 19H1138

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
19H1138-01	Plate Mill Storm Ditch		08/19/2019 00:00	8/19/2019 10:45:00AM
19H1138-02	Main St Storm Ditch		08/19/2019 00:00	8/19/2019 10:45:00AM
19H1138-03	Cannon Storm Ditch		08/19/2019 00:00	8/19/2019 10:45:00AM
19H1138-04	NW Storm Ditch		08/19/2019 00:00	8/19/2019 10:45:00AM
19H1138-05	031		08/19/2019 00:00	8/19/2019 10:45:00AM
19H1138-06	999		08/19/2019 00:00	8/19/2019 10:45:00AM
19H1138-07	SWTP Effluent/Clarifiers		08/19/2019 00:00	8/19/2019 10:45:00AM
19H1138-08	Flume		08/19/2019 00:00	8/19/2019 10:45:00AM

Analytical Results

Date: *Tuesday, August 20, 2019*

Client: Arcelor Mittal USA, Inc.
Client Project: Ammonia
Client Sample ID: Plate Mill Storm Ditch
Sample Description:
Matrix: Aqueous

Work Order/ID: 19H1138-01
Sampled: 08/19/2019 0:00
Received: 08/19/2019 10:45

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
Nitrogen, Ammonia as N			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/19/2019 11:02			
Nitrogen, Ammonia (As N)	di	A	0.16	0.10		mg/L	1	08/19/2019 14:11

Analytical Results

Date: *Tuesday, August 20, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19H1138-02
Client Project:	Ammonia	Sampled:	08/19/2019 0:00
Client Sample ID:	Main St Storm Ditch	Received:	08/19/2019 10:45
Sample Description:			
Matrix:	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
Nitrogen, Ammonia as N			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/19/2019 11:02			
Nitrogen, Ammonia (As N)	di	A	ND	0.10		mg/L	1	08/19/2019 14:23

Analytical Results

Date: Tuesday, August 20, 2019

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19H1138-03
Client Project:	Ammonia	Sampled:	08/19/2019 0:00
Client Sample ID:	Cannon Storm Ditch	Received:	08/19/2019 10:45
Sample Description:			
Matrix:	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
				Method: EPA 350.1 Rev 2.0		Analyst: ABG		
Nitrogen, Ammonia as N				Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/19/2019 11:02		
Nitrogen, Ammonia (As N)	di	A	ND	0.10		mg/L	1	08/19/2019 14:30

Analytical Results

Date: *Tuesday, August 20, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19H1138-04
Client Project:	Ammonia	Sampled:	08/19/2019 0:00
Client Sample ID:	NW Storm Ditch	Received:	08/19/2019 10:45
Sample Description:			
Matrix:	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
Nitrogen, Ammonia as N			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/19/2019 11:02			
Nitrogen, Ammonia (As N)	di	A	ND	0.10		mg/L	1	08/19/2019 14:33

Analytical Results

Date: *Tuesday, August 20, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19H1138-05
Client Project:	Ammonia	Sampled:	08/19/2019 0:00
Client Sample ID:	031	Received:	08/19/2019 10:45
Sample Description:			
Matrix:	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
Nitrogen, Ammonia as N			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/19/2019 11:02			
Nitrogen, Ammonia (As N)	di	A	0.22	0.10		mg/L	1	08/19/2019 14:35

Analytical Results

Date: *Tuesday, August 20, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19H1138-06
Client Project:	Ammonia	Sampled:	08/19/2019 0:00
Client Sample ID:	999	Received:	08/19/2019 10:45
Sample Description:			
Matrix:	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
Nitrogen, Ammonia as N			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/19/2019 11:02			
Nitrogen, Ammonia (As N)	di	A	ND	0.10		mg/L	1	08/19/2019 14:38



Analytical Results

Date: *Tuesday, August 20, 2019*

Client: Arcelor Mittal USA, Inc.
Client Project: Ammonia
Client Sample ID: SWTP Effluent/Clarifiers
Sample Description:
Matrix: Aqueous

Work Order/ID: 19H1138-07
Sampled: 08/19/2019 0:00
Received: 08/19/2019 10:45

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
Nitrogen, Ammonia as N			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/19/2019 11:02			
Nitrogen, Ammonia (As N)	di	A	0.17	0.10		mg/L	1	08/19/2019 14:40

Microbac Laboratories, Inc.

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

Analytical Results

Date: *Tuesday, August 20, 2019*

Client:	Arcelor Mittal USA, Inc.	Work Order/ID:	19H1138-08
Client Project:	Ammonia	Sampled:	08/19/2019 0:00
Client Sample ID:	Flume	Received:	08/19/2019 10:45
Sample Description:			
Matrix:	Aqueous		

Analyses	Certs	AT	Result	RL	Qual	Units	DF	Analyzed
			Method: EPA 350.1 Rev 2.0		Analyst: ABG			
Nitrogen, Ammonia as N			Prep Method: EPA 350.1 Rev 2.0		Prep Date/Time: 08/19/2019 14:15			
Nitrogen, Ammonia (As N)	di	A	0.39	0.10		mg/L	1	08/20/2019 10:32

ANALYTE TYPES: (AT)

A, B = Target Analyte

I = Internal Standard

M = Summation Analyte

S = Surrogate

T = Tentatively Identified Compound (TIC, concentration estimated)



QC SAMPLE IDENTIFICATIONS

BLK = Method Blank

DUP = Method Duplicate

BS = Method Blank Spike

MS = Matrix Spike

ICB = Initial Calibration Blank

CCB = Continuing Calibration Blank

CRL = Client Required Reporting Limit

PDS = Post Digestion Spike

QCS = Quality Control Standard

ICSA = Interference Check Standard "A"

ICSAB = Interference Check Standard "AB"

BSD = Method Blank Spike Duplicate

MSD = Matrix Spike Duplicate

ICV = Initial Calibration Verification

CCV = Continuing Calibration Verification

OPR = Ongoing Precision and Recovery Standard

SD = Serial Dilution

CERTIFICATIONS (Certs)

Below is a list of certifications maintained by the Microbac Merrillville Laboratory. All data included in this report has been reviewed for and meets all project specific and quality control requirements of the applicable accreditation, unless otherwise noted. Complete lists of individual analytes pursuant to each certification below are available upon request.

^d Illinois EPA drinking water, wastewater and solid waste analysis (#200064)

ⁱ Kansas Dept Health & Env. NELAP (#E-10397)

FLAGS, FOOTNOTES AND ABBREVIATIONS (as needed)

RL: Reporting Limit

RPD: Relative Percent Difference

Cooler Receipt Log

Cooler ID: Default Cooler

Temp: 5.0°C
 MICROBAC®

Comments

No time. Samples preserved at lab

Cooler Inspection Checklist


Ice Present or not required?	Yes
Shipping containers sealed or not required?	Yes
Custody seals intact or not required?	Yes
Chain of Custody (COC) Present?	Yes
COC includes customer information?	Yes
Relinquished and received signature on COC?	Yes
Sample collector identified on COC?	Yes
Sample type identified on COC?	Yes
Correct type of Containers Received	Yes
Correct number of containers listed on COC?	Yes
Containers Intact?	Yes
COC includes requested analyses?	Yes
Enough sample volume for indicated tests received?	Yes
Sample labels match COC (Name, Date & Time?)	No
Samples arrived within hold time?	Yes
Correct preservatives on COC or not required?	Yes
Chemical preservations checked or not required?	Yes
Preservation checks meet method requirements?	Yes
VOA vials have zero headspace, or not recd.?	Yes

Microbac Laboratories, Inc.

250 West 84th Drive | Merrillville, IN 46410 | 800.536.8379 p | 219.769.8378 p | 219.769.1664 f | www.microbac.com

RUSH!

CHAIN OF CUSTODY RECORD



Number **152315**
Instructions on back

Lab Report Address

Invoice Address

Turnaround Time

TO BE COMPLETED BY MICROBAC

Client Name: *Arcelor - Mittal*

Client Name:

Routine (5 to 7 business days)
 RUSH* (notify lab)

Temperature Upon Receipt (°C) *5.30.32*
Therm ID

Address:

Address:

Holding Time

City, State, Zip:

City, State, Zip:

(needed by)

Samples Received on Ice? Yes No N/A

Contact:

Contact:

Report Type

Custody Seals Intact? Yes No N/A

Telephone No.:

Telephone No.:

Results Only Level 1 Level 2 Level 3 Level 4 EDD

Send Report via: Mail Fax e-mail (address)

Send Invoice via: Mail Fax e-mail (address)

Project: *Ammonia*

Location: *Star-Ditch*

Compliance Monitoring? Yes No

Sampled by (PRINT): *Warren Howard*

Sampler Signature: *[Signature]*

Sampler Phone No.:

* Matrix Types: Soil/Solid (S), Sludge, Oil, Wipe, Drinking Water (DW), Groundwater (GW), Surface Water (SW), Waste Water (WW), Other (specify)

** Preservative Types: (1) HNO3, (2) H2SO4, (3) HCl, (4) NaOH, (5) Zinc Acetate, (6) Methanol, (7) Sodium Bisulfate, (8) Sodium Thiosulfate, (9) Hexane, (U) Unpreserved

Client Sample ID	Date Collected	Time Collected	No. of Containers	Matrix	Grab / Comp	Preservative Types **	REQUESTED ANALYSIS	Additional Notes
<i>Star-Ditch Plate</i>	<i>8/19/19</i>		<i>1</i>		<i>⊖</i>			<i>1941138</i>
<i>Star-Ditch Main</i>			<i>1</i>					<i>02</i>
<i>Star-Ditch Cannon</i>			<i>1</i>					<i>03</i>
<i>Star-Ditch NW</i>			<i>1</i>					<i>04</i>
<i>031</i>			<i>1</i>					<i>05</i>
<i>999</i>			<i>1</i>					<i>06</i>
<i>SWTP character.</i>			<i>1</i>					<i>07</i>
<i>Flume 001</i>			<i>1</i>					<i>08</i>

19H1138 Carey Gadzala
ArcelorMittal - Burns Harbor, IN
Ammonia
08/19/2019

Possible Hazard Identification
 Hazardous Non-Hazardous Radioactive

Sample Disposition Dispose as appropriate Return Archive

Relinquished By (signature) *[Signature]*

Date/Time *8/19/19 0920*

Received By (signature) *[Signature]*

Date/Time *8-19-19 0920*

Relinquished By (signature) *[Signature]*

Date/Time *8-19-19 1045*

Received By (signature) *[Signature]*

Date/Time

Relinquished By (signature) *[Signature]*

Date/Time

Received By (signature) *[Signature]*

Date/Time *8-19-19/1045*